Hand Tool Cutting Safety Program
Appendix A

Mosaic Product Order Details				
Picture	Item Description	Mosaic Stock #	Manufacturer Code Phosphates	Manufacturer Code Potash
	Auto Retracting Knife (Westward KU1S)	<u>M5431</u>		WSWKU1S
	Automatic dual protection system helps to ensure that the user does not over-ride the safety feature. Once the cut starts the guard is activated. (Olfa – Cutter Safety)	<u>M6267</u>		OLFSK6
45	Safety carton cutter. Cuts plastic film, carton straps, tape, string and seat belts.	<u>M5149</u>	CT-SCY	<u>wswks8s</u>
	Its squeeze lever and ergonomic design make it ideal for repetitive tasks.	<u>M6216</u>	<u>122001</u>	
	A Safety Cutter with a spring loaded locking SAFETY HOOD.	<u>M6267</u>	<u>K-170</u>	
	Safety utility knife is a completely disposable utility knife. The blade never needs to be handled or changed.	<u>M6271</u>	XS-CU	

Page 1 of 5

Hand Tool Cutting Safety Program
Appendix A

	Wire Stripper / Cutter 6-1/16 inch wire stripper. Strips wire sizes #22, 24, 26, 28 and 30 AWG.	<u>M6533</u>	<u>PRT296</u>	<u>PRT296</u>
=(	Wire Stripper / Cutter 6-1/16 inch wire stripper.	<u>M6534</u>	<u>PRT297</u>	<u>PRT297</u>
	Wire Stripper / Cutter Built-in wire cutters. For all types of wire 0.2 mm to 6 mm.	<u>M5427</u>		WSWIMA317
	Utility cable cutter, 16-3/4 inches. Shear-type hook jaws grab and hold cable while shear-cutting action makes clean cuts. Beveled tips for positive mating.	<u>ADR015V</u>		<u>KLN63035</u>
	10 inch aviation style tin snips. Straight cut. Yellow handle. Non-slip serrated jaws. Self- opening for easy feed.	MC88787 MC90214 M5440		WSWTS10SY Straight Cut  WSWTSF10LR Left Cut  WSWTSF10RG Right Cut
	Belt Cutter is a sturdy, safe and portable tool that is specially designed for cutting wide belts. Special flat-top blade design that remains fully enclosed for maximum operator safety.	<u>ADV863E</u>	<u>840848</u> <u>Flex Pro</u>	

Page 2 of 5

Hand Tool Cutting Safety Program

MaxiGard by ATG®, Dyneema® with Engineered Yarns, Heavy Weight, Foam Nitrile Coated Palm, Reinforced Thumb Crotch, EN Cut Level 5	<u>M6238</u>	<u>19D470L</u>	
G-Tek 3GX with Dyneema Diamond Technology, White Knit with Gray P U Palm and Fingertip Coating, EN Cut Level 5	<u>M6245</u>	<u>19D330L</u>	
Ansell Canada Inc. GLOVE FLAME RESISTANT CUT LEVEL 5 13g composite yarn liner with black foam neoprene palm coating. All components inherently flame resistant (FR). EN cut resistance (CR) level 5.	M6562 M6564 M6565 M6566 M6568 M6569		ANL80-813-6 Size 6  ANL80-813-7 Size 7  ANL80-813-8 Size 8  ANL80-813-9 Size 9  ANL80-813-10 Size  10  ANL80-813-11 Size  11
Kut-Gard Kevlar® sleeves, two-ply, seamless rib knit thumb hole,22- inch length.• EN Cut Level 4	<u>M6246</u>	<u>KS22TO</u>	
SLEEVE - CUT RESISTANT - Cut Level 5 7-gauge 10 inch seamless cut- resistant stainless steel	<u>M6572</u> <u>M6573</u>		BEMS927-10 10" Sleeve  BEMS927-21V 21" Sleeve

Page 3 of 5

Hand Tool Cutting Safety Program
Appendix A

	knit sleeve,			
	Elvex chainsaw chaps meet the requirements of ASTM Standard for Leg Protection for Chain Saw Users (F-1897- 2008).	<u>M6249</u>	<u>JE9428</u>	
	Kevlar twill chaps. Specify length. Available in 36" through 46" lengths, in 2 inch increments.	<u>M6253</u>	KTW605	
	Leather waist chaps	<u>M6254</u>	<u>L2505</u>	
	Chainsaw Chaps (Kunys 4 ply Kevlar 28" leg) Chainsaw chaps, 4ply 100% kevlar protective pads meet WCB standard. 3600 THRESHOLD	<u>M5438</u>		KNYAP212K
	Insulation Cutter for medium & large diameter electrical wires/cables	Being Added to List		

Page 4 of 5

Hand Tool Cutting Safety Program
Appendix A

Page 5 of 5